

Effective: July 1, 2008



# **SUGGESTED LIST PRICE**

## **Accessories**



**PRICES**  
Prices are F.O.B.  
Manitowoc, Wisconsin. All  
prices and specifications  
are subject to change  
without notice.

**TERMS**  
Terms are as Company  
may extend to purchaser.

**TERMS FOR PARTS**  
C.O.D. (Deviation on  
authorization of Credit  
Department only.)

**RETURNED PARTS**  
Will not serve as an  
offset for accounting  
purposes. Credits for  
returned parts are  
issued by our Parts  
Department after  
inspection of returned  
defective parts indicates  
a credit is in order.



ISO 9001:2000  
QUALITY SYSTEM  
CERTIFIED

### **America's #1 Selling Ice Machine**

MANITOWOC ICE  
2110 South 26th Street, P.O. Box 1720 • Manitowoc, WI 54221-1720, USA  
Phone: 920-682-0161 • Fax: 920-683-7589  
[www.manitowocice.com](http://www.manitowocice.com)



## ARCTIC PURE™ – WATER FILTER

KIT	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE-\$
<b>AR-PRE</b>	Pre-filter assembly includes head, shroud, hardware, mounting assembly, and one filter cartridge. Use on all Manitowoc machines.	3 lbs.	<b>231</b>
<b>AR-10000</b>	Primary filter assembly, includes head, shroud, hardware, mounting assembly, and one filter cartridge. See below for sizing guide.	4 lbs.	<b>322</b>
<b>AR-20000</b>	Primary filter assembly includes head, shroud, hardware, mounting assembly, and one filter cartridge. See below for sizing guide.	5 lbs.	<b>548</b>
<b>AR-40000</b>	Primary filter assembly, includes head, shroud, hardware, mounting assembly, and two filter cartridges. See below for sizing guide.	11 lbs.	<b>934</b>
<b>Note: AR-PRE, AR-10000 and AR-20000 sold in master packs of six. AR-40000 sold individually.</b>			
REPLACEMENT FILTER CARTRIDGES			
<b>K-00374</b>	AR-2800 replacement (sold in case of 12). Use with SM-50.	12 lbs.	<b>685 per case</b>
<b>K-00337</b>	AR-PRE replacement (sold in case of 12)	24 lbs.	<b>910 per case</b>
<b>K-00338</b>	AR-10000 replacement (sold in case of 12)	24 lbs.	<b>981 per case</b>
<b>K-00339</b>	AR-20000/40000 replacement (sold in case of 6)	18 lbs.	<b>641 per case</b>
<b>K-00344</b>	Bin bracket for Arctic Pure water filter	4 lbs.	<b>58 each</b>
<b>K-00173</b>	Tri-L Pre-filter (sold in case of 12)	5 lbs.	<b>192 per case</b>
<b>K-00174</b>	Tri-L Primary filter (sold in case of 12)	24 lbs.	<b>1,238 per case</b>



## SIZING GUIDE

Ice Machine	Model			
	AR-PRE	AR-10000	AR-20000	AR-40000
<b>QM30</b>	•	•		
<b>QM45</b>	•	•		
<b>Q-130</b>	•	•		
<b>Q-210</b>	•	•		
<b>Q-270</b>	•	•		
<b>S-300</b>	•	•		
<b>S-322</b>	•	•		
<b>S-422</b>	•	•		
<b>S-450</b>	•	•		
<b>S-500</b>	•	•		
<b>S-600</b>	•	•		
<b>S-850</b>	•		•	
<b>S-1000</b>	•		•	
<b>S-1200</b>	•			•
<b>S-1400</b>	•			•
<b>S-1600</b>	•			•
<b>S-1800</b>	•			•
<b>S-1470C</b>	•			•
<b>S-1870C</b>	•			•
<b>S-2170C</b>	•			•
<b>IB-600</b>	•	•		
<b>IB-800</b>	•		•	
<b>IB-1000</b>	•		•	
<b>QF-400</b>	•	•		
<b>QC-700</b>	•	•		
<b>QF-800</b>	•	•		
<b>SN-12/20</b>	•	•		
<b>SN-450</b>	•	•		
<b>SN-650</b>	•	•		
<b>SN-950</b>	•	•		
<b>SN-1250</b>	•			•
<b>SF-400</b>	•	•		
<b>SF-600</b>	•	•		
<b>SF-900</b>	•	•		
<b>SF-1200</b>	•			•



AuCS-SI



AuCS-SO

### AuCS® AUTOMATIC CLEANING SYSTEM

MODEL	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE-\$
<b>AuCS®-A</b>	Automatic Cleaning System Accessory <b>for ice machine Series Q-280 through Q-1800, and Q-Dual</b> . Not available for the QM-Series, Q-130, Q-210, Q-270 or with flake and nugget ice machines. This model uses bottles 94-0546-3 and 94-0565-3.	12 lbs.	<b>601</b>
<b>AuCS®-SI</b>	Automatic Cleaning System Accessory <b>for ice machine Series S-450, S-500, S-600, S-850, S-1000, S-1200, S-1400, S-1600 and S-1800 only</b> . This option is installed inside of the machine and works with bottle part number 40-1326-3 and 40-1327-3. Empty bottles are included with the accessory and can be filled with gallon container 94-0580-3 and 94-0581-3.  Power to the AuCS is supplied by the machine. When ordering indicate electrical requirements; 115 volt 60 Hz – AuCS-SI-161 and 230 volt 50/60 Hz – AuCS-SI-271.	5 lbs.	<b>601</b>
<b>AuCS®-SO</b>	Automatic Cleaning System Accessory <b>for ice machine S-300, S-322, S-422, S-1470C, S-1870C, S-2170C and IB Series</b> . Not available with flake or nugget ice machines. This option is installed on the outside of the machine and works in conjunction with cleaner and sanitizer bottle numbers 94-0546-3 and 94-0565-3.  Installed outside of machine, but electrical is supplied from the machine. When ordering indicate electrical requirements; 115 volt 60 Hz – AuCS-SO-161, and 230 volt 50/60 Hz – AuCS-SO-271.	11 lbs.	<b>601</b>

Note: AuCS Automatic Cleaning System cannot be used with flake or nugget ice machines.

### REPLACEMENT CLEANER or SANITIZER for Cubers Only (through Parts Dept.)

<b>94-0546-3</b> <b>94-0565-3</b>	<b>Bottle replacements for AuCS-A and AuCS-SO</b> Cleaner: 16 oz. bottle (sold in case of 12) Sanitizer: 16 oz. bottle (sold in case of 12)	18 lbs. 14 lbs.	<b>151 per case</b> <b>172 per case</b>
<b>40-1326-3</b> <b>40-1327-3</b>	<b>Bottle replacements for AuCS-SI</b> Cleaner: 16 oz. bottle (sold in case of 12) Sanitizer: 16 oz. bottle (sold in case of 12)	18 lbs. 14 lbs.	<b>156 per case</b> <b>183 per case</b>
<b>94-0580-3</b> <b>94-0581-3</b>	<b>Refills for all AuCS Systems</b> Cleaner: one gallon container (sold in case of 4) Sanitizer: one gallon container (sold in case of 4)	45 lbs. 36 lbs.	<b>167 per case</b> <b>189 per case</b>

Note: The cleaning and sanitizing fluids are the same chemistry for all AuCS systems. The bottles used with the AuCS-SI are custom to the machine. The gallon bottles can be used for refills on any system.

### REPLACEMENT CLEANER/SANITIZER FOR SM-50 & SN-SERIES (THROUGH PARTS DEPARTMENT)

MODEL	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE-\$
<b>000000084</b>	Cleaner for SM/SN/QC/QF-Series ice machines (sold in case of 12)	14 lbs.	<b>162 per case</b>
<b>94-0565-3</b>	Sanitizer for SM/SN-Series ice machines: 16 oz. bottle (sold in case of 12)	14 lbs.	<b>172 per case</b>



### GUARDIAN®

MODEL	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE-\$
<b>GS1200</b>	Slime inhibitor system for use with Q, IB, J, or B-Model Manitowoc ice machines. Includes one sachet with screws. Not for use with S-Series ice machines. Not for use with nugget and flake ice machines.	2 lbs.	<b>161</b>
<b>REPLACEMENT SACHET</b>			
<b>K-00206</b>	200 gram Ice Sentry sachet refill—sold to distributor in master pack of 6. Sachet refills come standard with sachet basket and two thumb screws. Used in Q and S-Series ice machines. Cannot be used with nugget, flaker and undercounter units.	3 lbs.	<b>177</b>




### DRAIN PUMP

MODEL	DESCRIPTION	SHIPPING WEIGHT	SUGGESTED LIST PRICE-\$
<b>K-00376</b>	Drain Pump for SM-50A. Used where gravity drain not available. 12" rise and 100' run maximum.	7 lbs.	<b>382</b>



<b>CONVENIENT ICE BAGGER</b>			
<b>KIT</b>	<b>DESCRIPTION</b>	<b>SHIPPING WEIGHT</b>	<b>SUGGESTED LIST PRICE-\$</b>
<b>K-00146</b>	Ice bagger assembly, includes bagger, B-Model bin adapter, and 250 bags and ties. Stainless steel finish.	25 lbs.	<b>476</b>
<b>REPLACEMENT BAGS/TIES</b>			
<b>K-00068</b>	Bag Kit - includes 1,000 bags (4 wickets of 250) and ties.	34 lbs.	<b>274</b>




<b>ICE SCOOP (through Parts Dept.)</b>			
<b>MODEL</b>	<b>DESCRIPTION</b>	<b>SHIPPING WEIGHT</b>	<b>SUGGESTED LIST PRICE-\$</b>
<b>3302583</b>	6 oz. clear scoop for QM-Series (each)	2 lbs.	<b>19 each</b>
<b>3302603</b>	32 oz. white scoop (each) (Used for B-170 and Q-Series undercounter units.)	3 lbs.	<b>11 each</b>
<b>3302593</b>	82 oz. white scoop (each) (Used for ice bin B-320 and up.)	5 lbs.	<b>10 each</b>



B-model bin leg

<b>LEGS &amp; CASTERS</b>			
<b>MODEL</b>	<b>DESCRIPTION</b>	<b>SHIPPING WEIGHT</b>	<b>SUGGESTED LIST PRICE-\$</b>
		<b>PER SET OF 4</b>	
<b>K-00063</b>	2.5" Casters. For use with Series 130, 210, 270, QF-400 and B-170 bin. Non-locking.	2 lbs.	<b>208</b>
<b>K-00153</b>	4.625" Adjustable Flange Foot - stainless steel	5 lbs.	<b>175</b>
<b>K-00176</b>	4" leg for QM-30 or QM-45 - black painted	3 lbs.	<b>94</b>
<b>K-00215</b>	QM-Series leveler legs, adjusts from .5" to 1.25" - 1/2-13 thread	1 lbs.	<b>46</b>
<b>K-00137</b>	6" Adjustable Flange Foot - stainless steel for S and B-Series bins	6 lbs.	<b>175</b>
<b>K-00151</b>	6" Adjustable Flange Foot - gray painted for S-Series bins	5 lbs.	<b>104</b>
<b>K-00145</b>	6" Adjustable Secured Flange Foot - stainless steel	6 lbs.	<b>240</b>
<b>K-00144</b>	12" Adjustable Flange Foot - stainless steel. Can use with undercounter machines and B-170 and B-400 Bin. Not for use with 22" unit or any stacked units or the QM-Series.	8 lbs.	<b>240</b>
<b>K-00138</b>	Adjustable Caster Legs, 7.625" - 8.625" - stainless steel. Not for use with 22" unit, or any stacked units, dispensers or QM's. 2-locking casters and 2 non-locking per set.	16 lbs.	<b>493</b>
<b>K-00350</b>	6" Adjustable Legs - stainless steel standard on B-Series	5 lbs.	<b>83</b>
<b>K-00345</b>	Leg kit for SM-50 and SN-12/20 ice machines.	3 lbs.	<b>83</b>



<b>STACKING KITS</b>			
<b>KIT</b>	<b>COMBINATIONS<sup>1</sup></b>	<b>SHIPPING WEIGHT</b>	<b>SUGGESTED LIST PRICE-\$</b>
<b>K-00143</b>	Q-1300/Q-1800 Stackable on a Q-1300/Q-1800 Stackable	32 lbs.	<b>581</b>
<b>K-00216</b>	Stacking 230V Relay Assembly - shuts off upper machine when lower machine senses a full bin.	1 lbs.	<b>104</b>

<sup>1</sup>When stacking a Q-Model with a J-Model, the Q-Model ice machine must be the bottom unit.

Cannot stack (2) Q-280. When stacking a Q-280 to another Manitowoc ice machine model, the Q-280 must be the top unit.

**NOTE: S-Series ice machines are NOT stackable.**

4130B ©2008 Manitowoc 6/08

In accordance with our policy of continuous product development and improvement, the information and prices listed are subject to change at any time without notice.

We are committed to protecting the environment and its resources. For up-to-date product data always view an electronic version on our web site.



Spec sheets available online at [www.manitowocice.com](http://www.manitowocice.com).  
Follow the "Products" tab.



MANITOWOC ICE  
2110 South 26th Street, P.O. Box 1720  
Manitowoc, WI 54221-1720, USA  
Ph: 920-682-0161 • Fax: 920-683-7589  
Visit us online at [www.manitowocice.com](http://www.manitowocice.com)